

ELB 500 TTL - SCHEDULE

Consumer launch

5th March 2018

THE MOST POWERFUL PORTABLE TTL LIGHT EVER.

With the new Elinchrom ELB 500, you can now focus on the stories you want to share.

Enjoy Simplicity

Challenging situations are now simple thanks to TTL. Be ready within seconds and enjoy beautiful light right from the first shot with TTL. If necessary, quickly switch to manual on your transmitter to take full control of your ELB 500 TTL.

Set the light you want, in all simplicity.

Power With HSS

With 500 Ws, the ELB 500 TTL easily overpowers the sun. The Elinchrom Pro transmitter gives you access to High Speed Sync to seamlessly synchronise at speeds of up to a 1/8000s. Freeze motion, darken and overpower the ambient light or use wider aperture.

Creating a dreamy background has never been easier.

Endless Freedom

The ELB 500 TTL offers you total freedom in a lightweight and portable solution while still delivering 400 full power flashes on a single charge. Freeze motion in action mode or use HSS, rely on the battery for on location work or plug into the mains while shooting in studio with the Active Charge feature.

No matter what you want to shoot, the ELB 500 TTL will deliver!

Exceptional Light Quality

10 times more powerful than an on-camera flash, the ELB 500 TTL doesn't compromise light quality for ease of use and portability. Together with the Elinchrom range of accessories, benefit from perfect light distribution and generate high-end light quality with countless setups anywhere you shoot.

With unmatched colour and light consistency, get the perfect shot right from the start.

Unlimited Creativity

The ELB 500 TTL offers you the fun and creativity of flash photography. It is the perfect all-round portable studio flash for all your imaging. The unit offers a wide variety of lighting possibilities when used with two asymmetrical controllable flash heads.

Combined with the TTL and HSS feature, it's effortless to use while delivering exceptional high-end results.

Seamless From Top to Bottom

Your workflow becomes easier and faster than ever with the ELB 500 TTL thanks to the TTL and seamless HSS features. The unit works just like an assistant.

Concentrate on the story you want to tell and produce better images in just a few steps.



ELB 500 TTL To Go Set
10309.1




ELB 500 TTL Dual To Go Set
10310.1



ELB 500 Battery
19297

KEY FEATURES & BENEFITS

- **TTL To Manual - Fast Setup, Better Workflow.**
Enjoy beautiful light right from the first shot with TTL and if necessary, quickly switch to manual to take full control of the unit.
- **HSS - Synchronise at Speeds of up to a 1/8000s.**
Seamlessly freeze motion, darken and overpower the ambient light or use wider aperture.
- **1x Q-Head - One Head For All Needs.**
One head to make photographer choices easier than ever.
- **Skyport® & Phottix® Compatibility.**
Ability to use with Phottix, Skyport Transmitters and any Speedlights.
- **Elinchrom Transmitter Pro - Firmware Update.**
The Skyport Plus HS can be easily upgraded to a Transmitter Pro to benefit of TTL with the ELB 500 TTL.



Skyport Plus HS to Elinchrom Transmitter Pro
by Firmware Update.



ELB 500 TTL
10232.1 + 19297



ELB 500 (without battery)
10232.1

- **Power With HSS.**
The ELB 500 TTL is the first unit to benefit from enough power while using HSS.
- **Asymmetry - Total Freedom.**
With its two independent flash heads, the unit offers a wide variety of lighting possibilities.
- **Active Charge - Charge While Shooting**
Ability to charge the battery while actively shooting, making the pack easy to use in studio and on-location.



ELB 500 Head
20190

SET CONFIGURATION

TO GO SETS

ELB 500 TTL To Go

The ELB 500 TTL To Go is the ideal set to enjoy total freedom in a lightweight and portable solution while still delivering 400 full power flashes on a single charge. Freeze motion in action mode or use HSS, rely on the battery for on location work or plug it in the mains while shooting in studio with the Active Charge feature.

The Elinchrom Transmitter Pro is not part of this set and must be ordered separately. The transmitters for Canon® and Nikon® are available. Other brands will follow later.

ELB 500 TTL To Go — N° 10309.1



Qty	Article
1x	ELB 500 TTL Supplied with Li-Ion battery, charger, sync cord
1x	ELB 500 - Head Supplied with 4 m flash cable and protective cap
1x	Q-Reflector 18 cm
1x	ELB 500 - Snappy Carrying option with shoulder strap
1x	ProTec Location Bag

ELB 500 TTL Dual To Go

The ELB 500 TTL Dual To Go is the perfect set to be used with total asymmetry. With two independent flash heads, the unit offers a wide variety of lighting possibilities. Combined with the TTL and HSS feature, it's effortless to use while delivering exceptional high-end results.

The Elinchrom Transmitter Pro is not part of this set and must be ordered separately. The transmitters for Canon® and Nikon® are available. Other brands will follow later.

ELB 500 TTL Dual To Go — N° 10310.1

Qty	Article
1x	ELB 500 TTL Supplied with Li-Ion battery, charger, sync cord
2x	ELB 500 - Head Supplied with 4 m flash cable and protective cap
1x	Q-Reflector 18 cm
1x	Q-Wide Reflector 13.5 cm
1x	ELB 500 - Snappy Carrying option with shoulder strap
1x	ProTec Location Bag



ELB 500 TTL - SPECIFICATIONS

Flash Power	500 Ws/J
Power Distribution	Full Asymmetry
Power Range	7 F-stops
Flash Duration	Action : 1/20000s - Normal : 1/3400s
Recycling Time	0.05 – 2 seconds
Battery	Removable Li-Ion 14,4 V - 72 W/h
Battery Capacity	400 / 28000 flashes (full power/min. power)
Dimensions (LxWxH)	16.3 x 9 x 18.1 cm
Weight (Unit + Battery)	2.48 kg
Weight of Battery	0.73 kg
Compatibility	For Skyport: Elinchrom Transmitter Pro For Phottix: Phottix Odin II Transmitter
ELB 500 TTL Supplied With	Battery, Charger, Snappy, Location Bag, Sync Cable

ELB 500 TTL - SET CONTENTS & ACCESSORIES CODE NUMBERS

ELB 500 TTL To Go	N° 10309.1
ELB 500 TTL Dual To Go	N° 10310.1
ELB 500 - Unit	N° 10232.1
ELB 500 - Head	N° 20190
ELB 500 - Battery	N° 19297
ELB 500 - Charger	N° 19277
ELB 500 - Snappy	N° 19254
Q-Reflector - 18 cm	N° 26056
Q-Wide Reflector - 13.5 cm	N° 26145
Q-Protective Cap	N° 25101
ProTec Location Bag	N° 33195
Q-Portalite Octa 56 cm	N° 26600
Q-Portalite Square 40 cm	N° 26151
Q-Relective Adapter MKII	N° 26342
Extension Cable 5 m	N° 11003
Extension Cable 10 m	N° 11004
Transmitter Pro (Canon)	N° 19366
Transmitter Pro (Nikon)	N° 19367

